

# **MSDS** Report

BIDI Vapor IIc

**Prepared For:** 

4460 Old Dixie Hwy Grant, FL 32949, USA

Product Name: BIDI STICK

Flavor: Marigold

Shenzhen TCT Testing Technology Co., Ltd.

**Prepared By:** 

1B/F., Building 1, Yibaolai Industrial Park, Qiaotou, Fuyong, Baoan

District, Shenzhen, Guangdong, China

Report No.: TCT200916W007

Checked by

Noel Yin

Signed for and on behalf of TCT

Kim Zhang Technical Manager





Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 2 / 9

# **Material Safety Data Sheet**

Regulation (EC) No 1907/2006 (REACH), Annex II

## Section 1- Chemical Product & Company Identification

(a) Product identifier

Product Name BIDI STICK

Flavor Marigold

(b) Relevant identified uses of the substance or mixture and uses advised against

Recommended Use No information available
Uses advised against No information available

(c) Details of the supplier of the safety data sheet

Supplier BIDI Vapor IIc

Address 4460 Old Dixie Hwy Grant, FL 32949, USA

**Contact Person** Nirajkumar patel **Phone** 321-223-3101

Fax None

E-mail raj@bidivapor.com

(d) Emergency telephone number

321-223-3101

### Section 2- Hazards Identification

(a) Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not-Classified

(b) Label elements, including precautionary statements

Symbols/Pictograms None

Signal word None

Hazard Statements Not applicable

**Precautionary** 

Not applicable

Statements



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 3 / 9

#### (c) Other hazards

No information available

# Section 3- Composition/Information on Ingredients

#### (a) BIDI STICK is a mixture

Chemical Name	CAS No.	CONTENT%
Isoamyl acetate	123-92-2	0.356
Nicotine	54-11-5	5.89
Benzoic acid	65-85-0	7.03
Propylene Glycol	57-55-6	56.0
Glycerol	56-81-5	25.5
Ethanol	64-17-5	3.15
Menthol	89-78-1	1.71
Ethyl butanoate	105-54-4	0.022
Myrcene	123-35-3	0.002
D-Limonene	5989-27-5	0.014
Butanoic acid, butyl ester	109-21-7	0.014
trans-Ocimene	3779-61 - 1	0.004
beta-Ocimene	13877-91-3	0.003
cis-3-Hexene-1-ol	928-96-1	0.001
Acetic acid	64-19-7	0.014
alpha-Methylbenzyl acetate	93-92-5	0.034
Allyl cyclohexanepropionate	2705-87-5	0.034
gamma-Butylbutyrolactone	104-50-7	0.014
Ethyl maltol	4940-11-8	0.061
Furaneol	3658-77-3	0.003
Triacetin	102-76-1	0.115
gamma-Decalactone	706-14-9	0.029

# Section 4- First Aid Measures

#### (a) Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately

**Inhalation** If fumes or combustion products are inhaled, remove victim to fresh air and

keep at rest in a position comfortable for breathing. Get medical

advice/attention if you feel unwell

**Ingestion** Give water to rinse out mouth, then drink plenty of water, vomiting, and go

to a doctor

Hotline: 400-6611-140

Tel: 86-755-27673339

Fax: 86-755-27673332

http://www.tct-lab.com



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 4 / 9

**Eye contact** Keep eyelids apart and away from eye and moving the eyelids by lifting the

upper and lower lids occasionally, flush eyes with plenty of water or saline

water for at least 15 minutes, call a physician if irritation persists.

**Skin contact** Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes. Wash contaminated clothing before

reuse. If skin irritation persists, call a physician.

#### (b) Most important symptoms and effects, both acute and delayed

No information available

#### (c) Indication of any immediate medical attention and special treatment needed

Treat symptomatically

# Section 5- Fire Fighting Measures

#### (a) Extinguishing media

Suitable extinguishing

Water, CO<sub>2</sub>, Dry chemical powder, Foam

**Unsuitable** 

media

extinguishing media

No information available

#### (b) Special hazards arising from the substance or mixture

No information available

#### (c) Special protective equipment and precautions for fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear; Prevent, by any means available, spillage from entering drains or water courses; Use water delivered as a fine spray to control fire and cool adjacent area.

### Section 6- Accidental Release Measures

#### (a) Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. Do not breathe dust/fume/gas/mist/vapors/spray.

#### (b) Environmental precautions

Prevent product from entering drains



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 5 / 9

#### (c) Methods and material for containment and cleaning up

Pick up and transfer to properly labeled containers. Avoid generation of dust

# Section 7- Handling and Storage

#### (a) Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Avoid generation of dust. Do not breathe dust/fume/gas/mist/vapors/spray

#### (b) Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from moisture and fire. Store away from Oxidant, acids, halogen, Equipped with corresponding varieties and number of fire equipment and leakage emergency treatment equipment.

# Section 8 - Exposure Controls/Personal Protection

(a) Exposure controls

equipment

Engineering Controls Ensure adequate ventilation, especially in confined areas

(b) Personal protective equipment

Personal protective Respiratory Protection: Special protection is generally not required,

but if exposed to dust, it is recommended to wear self absorption filter

dust masks

Skin Protection: Wear suitable protective clothing and gloves

Eye Protection: Not necessary under normal conditions. Wearing

chemical safety protective glasses if necessary

Hygiene Measures Wash hands or take a shower after working

#### (c) Environmental exposure controls

Avoid release to the environment

Shenzhen TCT Testing Technology Co., Ltd.

1F, Building 1, Yibaolai Industrial Park, Qiaotou Village, Fuyong Town, Baoan District, Shenzhen, Guangdong Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 6 / 9

# Section 9- Physical and Chemical Properties

Physical State Appearance: Yellow

Form: Liquid

Odor: Icy Mango

pH, with indication of the

concentration

No data

Melting/freezing point No data

Boiling Point, initial boiling

point and Boiling range

No data

Flash Point

No data

Evaporation rate

No data

Flammability (soil, gas)

No data

Upper/lower flammability or

explosive limits

No data

Vapor pressure

No data

Vapor Density (Air = 1)

No data

Density/relative density

No data

Solubility in Water

Soluble in water.

**Autoignition temperature** 

No data

**Decomposition temperature** 

No data

Kinematic viscosity

No data

Dynamic viscosity

No data

**Explosive properties** 

No data

**Oxidizing properties** 

No data

# Section 10 – Stability and Reactivity

#### (a) Reactivity

Stable under normal conditions

#### (b) Chemical stability

Stable under recommended storage conditions

#### (c) Possibility of hazardous reactions

None under normal processing

Shenzhen TCT Testing Technology Co., Ltd.

1F, Building 1, Yibaolai Industrial Park, Qiaotou Village, Fuyong Town, Baoan District, Shenzhen, Guangdong Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 7 / 9

#### (d) Conditions to avoid

No information available

#### (e) Incompatible materials

No information available

#### (f) Hazardous decomposition products

No information available

# Section 11 - Toxicological Information

#### (a) Information on toxicological effects

Acute toxicity Not classified Skin corrosion/irritation Not classified

Serious eye damage/eye

irritation

Not classified

Sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

STOT - single exposure

STOT - repeated exposure

Aspiration hazard

Not classified

Not classified

Not classified

Not classified

# Section 12-Ecological Information

**Toxicity** No information available

Persistence and

ci sisterioc and

degradability

Bioaccumulative potential No information available

Mobility in soil No information available

Other adverse effects No information available

Shenzhen TCT Testing Technology Co., Ltd.

1F, Building 1, Yibaolai Industrial Park, Qiaotou Village, Fuyong Town, Baoan District, Shenzhen, Guangdong Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com

No information available



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 8 / 9

# Section 13 – Disposal Considerations

Waste treatment methods Product disposal recommendation: Observe local, state and

federal laws and regulations.

Packaging disposal recommendation: Containers may be recycled or re-used. Observe local, state and federal laws and regulations.

The potential effects on the environment and human health of the substances used in material; the desirability of not disposing of waste material as unsorted municipal waste and of participating in their separate collection so as to facilitate treatment and recycling;

# Section 14 - Transport Information

UN NumberNot regulatedProper shipping nameNot regulatedHazard ClassNot regulated

Packing Group Not regulated Environmental hazards Not regulated

**Special precautions**No information available

Transport in bulk according

to Annex II of MARPOL 73/78 Not applicable

and the IBC Code

# Section 15 – Regulatory Information

Safe, health and environment regulations/ legislation specific for the substance or mixture International laws/ regulations

Endanger the safety of information requirements on the label

Requirements for hazard and safety information on the label

Tags according to EU guidelines

The product should follow the relevant regulations of EU Directive/Hazardous substances regulations

Shenzhen TCT Testing Technology Co., Ltd. 1F, Building 1, Yibaolai Industrial Park, Qiaotou Villag

1F, Building 1, Yibaolai Industrial Park, Qiaotou Village, Fuyong Town, Baoan District, Shenzhen, Guangdong Hotline: 400-6611-140 Tel: 86-755-27673339 Fax: 86-755-27673332 http://www.tct-lab.com



Report No.: TCT200916W007 Date: Sept. 18, 2020 Page No.: 9 / 9

### Section 16 – Additional Information

The information above is believed to be accurate and represents the best information currently available to us. However, concorde makes no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. Although reasonable precautions have been taken in the preparation of the data contained herein, it is offered solely for your information, consideration and investigation. This material safety data sheet provides guidelines for the safe handling and use of this product; it does not and cannot advise on all possible situations, therefore, your specific use of this product should be evaluated to determine if additional precautions are required.

The data/information contained herein has been reviewed and approved for general release on the basis that this document contains no export controlled information.

